

Liste ausgewählter wissenschaftlicher Arbeiten

Catalan D, Labajos M T, Martinez-de-Salazar A, Sanchez E (2011) A pilot study on the effect of Basic Body Awareness Therapy in patients with eating disorders: a randomized controlled trial. *Clinical Rehabilitation* 00(0) 1-10

Eriksson E, Mokhtari M, Pourmotamed L, Holmdahl L, Eriksson H (2000) Interrater reliability in a resource-oriented physiotherapeutic examination. *Physiotherapy Theory and Practice* 16:95-10

Eriksson E, Nordwall V, Kurberg G, Rydholm H, Eriksson A (2002) Effects of body awareness therapy in patients with irritable bowel syndrome. *Advances in Physiotherapy* 4:125-135

Fjellman-Wiklund A (2003) Aspects of musculoskeletal disorders, physical and psychosocial work factors in musicians with focus on music teachers. (Doktorsavhandling) Umeå universitet. Department of community medicine and rehabilitation and Department of psychology

Gard G, Lundvik Gyllensten A (2004) Are emotions important for good interaction in treatment situations? *Physiotherapy Theory and Practice*, 20: 107-119

Gard G (2005) Body awareness therapy for patients with fibromyalgia and chronic pain. *Disability and Rehabilitation*, 27(12): 725-728

Gard G, Nyboe L, Lundvik Gyllensten A (2018) Clinical reasoning and clinical use of basic body awareness therapy in physiotherapy – a qualitative study?

Grahn B (1999) Quality of life, Motivation and costs in multidisciplinary occupational rehabilitation. A prospective controlled two-year study in patients with prolonged musculoskeletal disorders. Universität Lund, Department of physical Therapy, Schweden

Grahn B, Kjerstin G, Stigmar E, Ekdahl Ch. (2001) Motivation for change and personal resources in patients with prolonged musculoskeletal disorders. *Journal of Bodywork and Movement Therapies* 5(3), 160-172

Grahn BE, Borgquist LA, Ekdahl CS (2004) Rehabilitation benefits highly motivated patients: a six-year prospective cost-effectiveness study. *Int J Technol Assess Health Care*. Spring;20(2):214-21.

Hedlung L, Lundvik Gyllensten A (2008) The experiences of basic body awareness therapy in patients with schizophrenia. *Journal of Bodywork and Movement Therapies* 14, 245-254

Leirvåg H, Pedersen G, Karterud S. (2010) Long-term continuation treatment after short-term day treatment of female patients with severe personality disorders: Body awareness group therapy versus psychodynamic group therapy. *Nord J Psychiatry* 2010 Apr;64(2):115-22.

Lundvik Gyllensten A, Gard G, Salford E, Ekdahl C (1999) Interaction between patients and physiotherapists: a qualitative study reflecting the physiotherapist's perspective. *Physiother Res Int* 4 (2):89-109

Lundvik Gyllensten A, Gard G, Hansson L, Ekdahl C (2000) Interaction between patient and physiotherapist in psychiatric care- the physiotherapist's perspective *Advances in Physiotherapy* 2:157-167

Lundvik Gyllensten, A. (2001) *Basic Body Awareness Therapy – Assessment, Treatment and Interaction*. Universität Lund, Schweden

Lundvik Gyllensten A, Hansson L , Ekdahl C (2003) Patient experiences of basic body awareness therapy and the relationship with the physiotherapist. *Journal of Bodywork and Movement Therapies* 7, July 173-183

Lundvik Gyllensten A, Hansson L , Ekdahl C (2003) Outcome of Basic Body Awareness Therapy. A randomized controlled study of patients in psychiatric outpatient care. *Advances in Physiotherapie* 5: 179-190

Lundvik Gyllensten A, Oveson MN, Lindstrom I, Hansson L, Ekdahl C (2004) Reliability of the Body Awareness Scale-Health. *Scand J Caring Sci.* Jun;18(2):213-9

Lundvik Gyllensten A, Ekdahl C, Hansson L (2009) Long-term effectiveness of Basic Body Awareness Therapy in psychiatric outpatient care. A randomized controlled study. *Advances in Physiotherapy* 11: 2-12

Lundvik Gyllensten A, Skär L, Miller M, Gard G (2010) Embodied identity - A deeper understanding of body awareness. *Physiotherapy Theory and Practice* 26(7):439-446

Lundvik Gyllensten A, Nyboe Jacobsen L, Gard G (2019) Clinician perspectives of Basic Body Awareness Therapy (BBAT) in mental health physical therapy: An international qualitative study

Lundvik Gyllensten A, Oveson M N, Hedlung L, Ambrus L, Tornberg A (2019) To increase physical activity in sedentary patients with affective – or schizophrenia spectrum disorders – a clinical study of adjuvant physical therapy in mental health

Madsen T, Carlsson J., Nordbrandt M., Jensen J. (2015) Refugee experiences of individual basic body awareness therapy and the level of transference into daily life. An interview study. *Journal of Bodywork and Movement Therapies* (2015) xx, 1- 9

Malmgren-Olsson, E-B. (2002) Health problems and treatment effects in patients with non-specific musculoskeletal disorders - A comparison between Body Awareness Therapy, Feldenkrais and Individual Physiotherapy. Universität Umeå, Schweden

Mattsson M, Wikman M, Dahlgren L, Mattsson B, Armelius K (1997) Body awareness therapy with sexually abused women. Part 1: Description of a treatment modality. *Journal of Bodywork and Movement Therapies* 1(5), 280-288

Mattsson M, Wikman M, Dahlgren L, Mattsson B, Armelius K (1998) Body awareness therapy with sexually abused women. Part 2: Evaluation of body awareness in a group setting. *Journal of Bodywork and Movement Therapies* 2(1), 38-45

Mattsson M. (1998) Body Awareness - application in physiotherapy. Universität Umeå, Schweden

Mattsson M, Wikman M, Dahlgren L, Mattsson B (2000) Physiotherapy as empowerment - treating women with chronic pelvic pain. *Advances in Physiotherapy* 2:125-143

Roxendahl G (1985) Body Awareness Therapy and the Body Awareness Scale, Treatment and Evaluation in Psychiatric Physiotherapy. Universität Göteborg, Schweden

Skjaerven LH, Gard G, Kristoffersen K (2003) Basic elements and dimensions to the phenomenon of quality of movement – a case study. *Journal of Bodywork and Movement Therapies* 7(4), ss. 251-260

Skjaerven LH, Gard G, Kristoffersen K (2004) Greek sculpture as a tool in understanding the phenomenon of movement quality. A clinical observation: Movement quality and classical art. *Journal of Bodywork and Movement Therapies* 8, 227 - 236

Skjærven, LH (2006). Teaching movement quality within the frame of Evidence-Based Practice (EBP) - a possibility? How can evidence-based practice (EPB) be implemented in teaching movement quality in the post-graduate course of basic Body Awareness methodology (B BAM). An Essay from the Scholars Forum, Bergen University College, Faculty of Health and Social Sciences, Center for Knowledge Based Practice.

Skjærven, LH, Kristoffersen K, Gard G (2008) An Eye for Movement Quality: A phenomenological study of movement quality reflecting a group of physiotherapists' understanding of the phenomenon. *Physiotherapy Theory and Practice*, 24:1, 13-27.

Skjærven, LH, Kristoffersen K, Gard G (2010) How can movement quality be promoted in clinical practice? A phenomenological study of physical therapist experts. *Physical Therapy*, Vol 90, N 10, 1479-1492

Thörnberg U, Mattsson M (2009) Rating body awareness in persons suffering from eating disorders - A cross-sectional study. Umea University Sweden

Wikene Johnsen R, Raheim M (2010) Feeling more in balance and grounded in one's own body and life. Focus group interviews on experiences with Basic Body Awareness Therapy in psychiatric healthcare. *Advances in Physiotherapy* 12: 166-174

Weitere Arbeiten unter www.ibk.nu oder www.nibk.org